

兔抗 ADRA1A 多克隆抗体

中文名称：兔抗 ADRA1A 多克隆抗体

英文名称：Anti-ADRA1A rabbit polyclonal antibody

别名：ADRA1C; ADRA1L1; ALPHA1AAR

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：ADRA1A

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	Alpha-1-adrenergic receptors (alpha-1-ARs) are members of the G protein-coupled receptor superfamily. They activate mitogenic responses and regulate growth and proliferation of many cells. There are 3 alpha-1-AR subtypes: alpha-1A, -1B and -1D, all of which signal through the Gq/11 family of G-proteins and different subtypes show different patterns of activation. This gene encodes alpha-1A-adrenergic receptor. Alternative splicing of this gene generates four transcript variants, which encode four different isoforms with distinct C-termini but having similar ligand binding properties.
Applications:	ELISA, WB, IHC
Name of antibody:	ADRA1A
Immunogen:	Synthetic peptide of human ADRA1A
Full name:	adrenoceptor alpha 1A
Synonyms :	ADRA1C; ADRA1L1; ALPHA1AAR
SwissProt:	P35348
ELISA Recommended dilution:	1000-5000
IHC positive control:	Human thyroid cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	51 kDa
WB Positive control:	PC3, A549 and K562 cells
WB Recommended dilution:	200-1000



