

## 兔抗 E2F8 多克隆抗体

|       |                                      |
|-------|--------------------------------------|
| 中文名称: | 兔抗 E2F8 多克隆抗体                        |
| 英文名称: | Anti-E2F8 rabbit polyclonal antibody |
| 别名:   | E2F-8                                |
| 相关类别: | 一抗                                   |
| 储存:   | 冷冻 (-20℃)                            |
| 宿主:   | Rabbit                               |
| 抗原:   | E2F8                                 |
| 反应种属: | Human, Rat                           |
| 标记物:  | Unconjugate                          |
| 克隆类型: | Unconjugate                          |

### 技术规格

|                          |  |
|--------------------------|--|
| <b>Background:</b>       | This gene encodes a member of a family of transcription factors which regulate the expression of genes required for progression through the cell cycle. The encoded protein regulates progression from G1 to S phase by ensuring the nucleus divides at the proper time. Multiple alternatively spliced variants, encoding the same protein, have been identified. |
| <b>Applications:</b>     | ELISA, IHC   |
| <b>Name of antibody:</b> | E2F8   |
| <b>Immunogen:</b>        | Synthetic peptide of human E2F8  |
| <b>Full name:</b>        | E2F transcription factor 8   |
| <b>Synonyms :</b>        | E2F-8  |
| <b>SwissProt:</b>        | A0AVK6   |

|                                    |   |
|------------------------------------|---|
| <b>ELISA Recommended dilution:</b> | 5000-10000                                      |
| <b>IHC positive control:</b>       | Human gastric cancer and human esophagus cancer |
| <b>IHC Recommend dilution:</b>     | 25-100  |



