

## 兔抗 PSMB4 多克隆抗体

中文名称：兔抗 PSMB4 多克隆抗体

英文名称：Anti-PSMB4 rabbit polyclonal antibody

别名：HN3; HsN3; PROS26; PROS-26

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：PSMB4

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

|                      |   |
|----------------------|---|
| <b>Background:</b>   | The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S core structure. The core structure is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a member of the proteasome B-type family, also known as the T1B family, that is a 20S core beta subunit. |
| <b>Applications:</b> | ELISA, IHC  |

|                                    |  |
|------------------------------------|--|
| <b>Name of antibody:</b>           | PSMB4  |
| <b>Immunogen:</b>                  | Fusion protein of human PSMB4                |
| <b>Full name:</b>                  | proteasome subunit beta 4                    |
| <b>Synonyms:</b>                   | HN3; HsN3; PROS26; PROS-26                   |
| <b>SwissProt:</b>                  | P28070                                       |
| <b>ELISA Recommended dilution:</b> | 5000-10000                                   |
| <b>IHC positive control:</b>       | Human gastric cancer;Human colorectal cancer |
| <b>IHC Recommend dilution:</b>     | 25-100                                       |



